

WEST Search History

*Updated
7/8/05
Rm*

DATE: Friday, July 08, 2005

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=AND</i>	
<input type="checkbox"/>	L1	brake.in. and neospor\$	27
<input type="checkbox"/>	L2	neospor\$.ti,ab,clm. not l1	127
<input type="checkbox"/>	L3	L2 same (attenuat\$ or inactivat\$ or weak\$ or avirul\$ or modifi\$ or reduc\$)	11
<input type="checkbox"/>	L4	L2 same (attenuat\$ or inactivat\$ or weak\$ or avirul\$ or modifi\$ or reduc\$).ti,ab,clm.	11
<input type="checkbox"/>	L5	l4 and temperature	3

END OF SEARCH HISTORY

WEST Search History

[Hide Items](#)[Restore](#)[Clear](#)[Cancel](#)

DATE: Friday, July 08, 2005

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=AND</i>	
<input type="checkbox"/>	L1	brake.in. and neospor\$	27
<input type="checkbox"/>	L2	neospor\$.ti,ab,clm. not l1	127
<input type="checkbox"/>	L3	L2 same (attenuat\$ or inactivat\$ or weak\$ or avirul\$ or modifi\$ or reduc\$)	11
<input type="checkbox"/>	L4	L2 same (attenuat\$ or inactivat\$ or weak\$ or avirul\$ or modifi\$ or reduc\$).ti,ab,clm.	11
<input type="checkbox"/>	L5	l4 and temperature	3
<input type="checkbox"/>	L6	l2 and (temperaturesensitiv\$ or temperature-sensitive or temperature-sensitivity or (temperature near3 sensitiv\$))	6

END OF SEARCH HISTORY

L1: Entry 8 of 27

File: USPT

Dec 2, 2003

US-PAT-NO: 6656479

DOCUMENT-IDENTIFIER: US 6656479 B2

TITLE: Attenuated live neospora vaccine

DATE-ISSUED: December 2, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
<u>Brake</u> ; David A	East Lyme	CT		
Blagburn; Byron L	Auburn	AL		
Lindsay; David S	Christiansburg	VA		

ASSIGNEE-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY	TYPE CODE
Pfizer Inc.	New York	NY			02

APPL-NO: 09/ 952388 [PALM]

DATE FILED: September 12, 2001

PARENT-CASE:

This application is a continuation of application Ser. No. 09/260,414, filed Feb. 26, 1999, now abandoned, which is a continuation of 08/967,744, filed Nov. 10, 1997, now abandoned, which claims priority from provisional application Ser. No. 60/031,248, filed Nov. 12, 1996 now abandoned.

INT-CL: [07] A61 K 39/002

US-CL-ISSUED: 424/269.1; 424/271.1, 424/273.1, 424/93.2, 424/93.1, 424/258.1, 435/69.1, 435/258.1, 800/947

US-CL-CURRENT: 424/269.1; 424/258.1, 424/271.1, 424/273.1, 424/93.1, 424/93.2, 435/258.1, 435/69.1

FIELD-OF-SEARCH: 424/93.1, 424/258.1, 424/271.1, 424/273.1, 424/93.2, 435/6, 435/69.1, 435/258.1, 800/947

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

Search Selected

Search ALL

Clear

	PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
<input type="checkbox"/>	<u>5643718</u>	July 1997	Kim et al.	435/6
<input type="checkbox"/>	<u>5707617</u>	January 1998	Conrad et al.	424/93.1

<input type="checkbox"/> 5889166	March 1999	Conrad et al.	536/23.1
<input type="checkbox"/> 5976553	November 1999	Kim et al.	
<input type="checkbox"/> 6071737	June 2000	Marsh et al.	

FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY	US-CL
9717082	May 1997	WO	

OTHER PUBLICATIONS

Nishikawa, Y et al, Clinical and diagnostic laboratory immunology, Jul. 2001, vol. 8(4), pp. 811-816 (abstract only).*

Lindsay, DS et al, American Journal of Veterinary Research, vol. 57(1), pp. 68-72, Jan. 1996, (abstract only).*

Asbroek et al, 1990, Nature 348:174-175, "Targeted insertion of the neomycin phosphotransferase gene into the tubulin gene cluster of *Trypanosoma brucei*."

Barr et al., 1994, J. Vet. Diagn. Invest. 6:207-215, "Experimental reproduction of bovine fetal *Neospora* infection and death with a bovine *Neospora* isolate."

Col et al., 1995, J. Parasitol. 81:730-732, "Vertical transmission of *Neospora caninum* in mice."

Conrad et al., 1993, Parasitol. 106:239-249, "In vitro isolation and characterization of *Neospora* sp. from aborted bovine fetuses."

Cruz and Beverley, 1990, Nature 348:171-173, "Gene replacement in parasitic protozoa."

Donald and Roos, 1994, Mol. Biochem. Parasitol. 63:243-253, "Homologous recombination and gene replacement at the dihydrofolate reductase-thymidylate synthase locus in *Toxoplasma gondii*."

Dubey and Lindsay, 1993, Parasitol. Today 9:452-458 "*Neosporosis*."

Eid and Sollner-Webb, Proc. Natl. Acad. Sci. USA 88:2118-2121, "Stable integrative transformation of *Trypanosoma brucei* that occur exclusively by homologous recombination."

Kim et al., 1993, Science 262:911-914, "Gene replacement in *Toxoplasma gondii* with chloramphenicol acetyltransferase as selectable marker."

LeBowitz et al., 1990, Proc. Natl. Acad. Sci. USA 87:9736-9740, "Development of a stable *Leishmania* expression vector and application to the study of parasite surface antigen genes."

Gwo-Shu et al., 1990, Science 250:1583-1586, "Homologous recombination and stable transformation in the parasitic protozoan *Trypanosoma brucei*."

Lindsay et al., 1995, J. Parasitol. 81:313-315, "Mouse model for central nervous system *Neospora caninum* infections."

Lindsay et al., 1995, Am. J. Vet. Res. 56:1176-1180, "Abortions, fetal deaths, and stillbirths in pregnant pygmy goats inoculated with tachyzoites of *Neospora caninum*."

Lindsay and Dubey, 1989, J. Parasitol. 75:772-779, "*Neospora caninum* (Protozoa: Apicomplexa) infections in mice."

Lindsay and Dubey. 1989, J. Parasitol. 75:163-165, "In vitro development of *Neospora caninum* (Protozoa: Apicomplexa) from dogs."

Lindsay and Dubey, 1990, J. Parasitol. 76:410-416, "Infections in mice with tachyzoites and bradyzoites of *Neospora caninum* (Protozoa: Apicomplexa)."

Lindsay and Dubey, 1990, Can. J. Zool. 68:1595-1599, "*Neospora caninum* (Protozoa: Apicomplexa) infections in rats."

Lindsay et al., 1990, Infect Immun. 58:5699-2700, "Infection of mice with *Neospora caninum* (Protozoa: Apicomplexa) does not protect against challenge with *Toxoplasma gondii*."

Marsh et al., 1995, J. Parasitol. 81:530-535, "Sequence analysis and comparison of ribosomal DNA from bovine Neospora to similar coccidial parasites."

Messina et al., 1995, Gene 165:213-217, "Stable DNA transformation of *Toxoplasma gondii* using phleomycin selection."

Sibley et al., 1994, Proc. Natl. Acad. Sci. USA 91:5508-5512, "Stable DNA transformation in the obligate intracellular parasite *Toxoplasma gondii* by complementation of tryptophan auxotrophy."

Soldati and Boothroyd, 1993, Science 260:349-352, "Transient transfection and expression in the obligate intracellular parasite *Toxoplasma gondii*."

Titus et al., 1995, Proc. Natl. Acad. Sci. USA 92:10267-10271, "Development of a safe live *Leishmania* vaccine line by gene replacement."

Adrianarivo et al, Intl. Journal of Parasitology 30:985-990.

Dreier et al., Int. J. Parasitology 29:1627-1634.

Hemphill et al., 1996, Infect. Immun. 64(10):4279-4287.

Ho et al., 1996, J. Clin. Microbiol. 34(5):1203-1208.

Pfefferkorn and Pfefferkorn, 1976, Exper. Parasitol. 39:365-376, "*Toxoplasma gondii*: Isolation and Preliminary Characterization of Temperature-Sensitive Mutants."

ART-UNIT: 1645

PRIMARY-EXAMINER: Smith; Lynette R. F.

ASSISTANT-EXAMINER: Portner; Ginny Allen

ATTY-AGENT-FIRM: Scully, Scott, Murphy & Presser

ABSTRACT:

The present invention provides attenuated live cultures of the pathogenic protozoan parasite, Neospora, and live vaccines against neosporosis prepared therefrom which are useful in the prevention of clinical disease and abortion in mammals.

8 Claims, 0 Drawing figures

L1: Entry 8 of 27

File: USPT

Dec 2, 2003

US-PAT-NO: 6656479

DOCUMENT-IDENTIFIER: US 6656479 B2

TITLE: Attenuated live neospora vaccine

DATE-ISSUED: December 2, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
<u>Brake</u> ; David A	East Lyme	CT		
Blagburn; Byron L	Auburn	AL		
Lindsay; David S	Christiansburg	VA		

US-CL-CURRENT: 424/269.1; 424/258.1, 424/271.1, 424/273.1, 424/93.1, 424/93.2, 435/258.1, 435/69.1

CLAIMS:

We claim:

1. A live culture of cells of an attenuated strain of a species of Neosyora, wherein the strain is NCTS-8 which is present in MARC145 monkey kidney cells having ATCC accession No. CRL12230.
2. A vaccine for protecting a mammal against neosporosis, comprising an immunologically effective amount of live cells of an attenuated strain of a species of Neosyora and a veterinarily acceptable carrier, wherein the strain is NCTS-8 which is present in MARC145 monkey kidney cells having ATCC accession No. CRL12230.
3. The vaccine of claim 2, further comprising an adjuvant.
4. The vaccine of claim 3, wherein the adjuvant is an oil-in-water emulsion.
5. A combination vaccine, comprising an immunologically effective amount of live cells of a an attenuated strain of a species of Neospora and a veterinarily acceptable carrier, wherein the strain is NCTS-8 which is present in MARC145 monkey kidney cells having ATCC accession No. CRL12230.
6. A composition comprising a veterinarily acceptable carrier and an immunologically effective amount of live cells of an attenuated strain of a species of Neosyora, wherein the strain is NCTS-8 which is present in MARC145 monkey kidney cells having ATCC accession No. CRL12230.
7. The composition of claim 6, further comprising an adjuvant.
8. The composition of claim 7, wherein the adjuvant is an oil-in-water emulsion.

[Generate Collection](#)[Print](#)

Search Results - Record(s) 1 through 27 of 27 returned.

- ☐ 1. [20050112567](#). 30 Oct 02. 26 May 05. Serological assay for Neospora caninum. Brake, David A., et al. 435/6; C12Q001/68.
- ☐ 2. [20040223982](#). 21 Jun 04. 11 Nov 04. Neospora vaccine. Brake, David A., et al. 424/269.1; A61K039/002 A61K039/005 A61K039/008.
- ☐ 3. [20040062772](#). 24 Sep 03. 01 Apr 04. Attenuated live neosporea vaccine. Brake, David A., et al. 424/184.1; 424/274.1 435/254.2 A61K039/00 A61K039/38 C12N001/18.
- ☐ 4. [20030180785](#). 21 Apr 03. 25 Sep 03. Polynucleotide molecules encoding Neospora proteins. Krishnan, B. Rajendra, et al. 435/6; 424/190.1 435/252.3 435/320.1 435/69.1 530/350 536/23.7 C12Q001/68 C07H021/04 C07K014/195 C12P021/02 A61K039/02 C12N001/21.
- ☐ 5. [20020058046](#). 09 Nov 01. 16 May 02. Neospora vaccine. Brake, David A., et al. 424/265.1; A61K039/002.
- ☐ 6. [20020044952](#). 12 Sep 01. 18 Apr 02. Attenuated live neosporea vaccine. Brake, David A., et al. 424/265.1; 435/243 A61K039/002 C12N001/00.
- ☐ 7. [6787146](#). 09 Nov 01; 07 Sep 04. Neospora vaccine. Brake; David A., et al. 424/269.1; 424/184.1 424/193.1 424/265.1. A61K039/002.
- ☐ 8. [6656479](#). 12 Sep 01; 02 Dec 03. Attenuated live neosporea vaccine. Brake; David A, et al. 424/269.1; 424/258.1 424/271.1 424/273.1 424/93.1 424/93.2 435/258.1 435/69.1. A61K039/002.
- ☐ 9. [6600027](#). 25 Mar 99; 29 Jul 03. Polynucleotide molecules encoding neosporea proteins. Krishnan; B. Rajendra, et al. 536/23.1; 435/252.3 435/320.1 435/69.1 536/23.4 536/23.5 536/24.32. C07H021/02 C07H021/04 C12P021/06 C12N001/20 C12N015/00.
- ☐ 10. [JP02003166992A](#). 31 Oct 02. 13 Jun 03. SEROLOGICAL ANALYSIS METHOD FOR NEOSPORA CANIUM. BRAKE, DAVID A, et al. G01N033/53; G01N033/543 G01N033/569 C07K014/45.
- ☐ 11. [JP411332583A](#). 25 Mar 99. 07 Dec 99. POLYNUCLEOTIDE MOLECULE ENCODING PROTEIN FROM NEOSPORA. BRAKE, DAVID ALAN, et al. C12N015/09; A61K031/00 A61K035/12 A61K038/00 A61K039/39 C07K014/44 C07K016/18 C12N015/02 C12P021/02 C12P021/08.
- ☐ 12. [JP411130683A](#). 26 Aug 98. 18 May 99. NEOSPORA VACCINE. BRAKE, DAVID ALAN, et al. A61K035/68; A61K039/00 A61K039/002 A61K039/395.
- ☐ 13. [JP410167983A](#). 12 Nov 97. 23 Jun 98. ATTENUATED LIVE NEOSPORA VACCINE. DAVID, A BRAKE, et al. A61K039/00; A61K035/68 A61K039/002 A61K039/39 C12N001/00.
- ☐ 14. [EP001477184A2](#). 12 Aug 98. 17 Nov 04. Neospora vaccine. BRAKE, DAVID ALAN, et al. A61K039/002;.

-
- ☐ 15. EP001308729A2. 24 Oct 02. 07 May 03. Serological assay for neospora caninum. BRAKE, DAVID A, et al. G01N033/569;.
-
- ☐ 16. EP001221485A2. 09 Mar 99. 10 Jul 02. Polynucleotide molecules encoding neospora proteins. BRAKE, DAVID ALAN, et al. C12N015/30; C12N015/85 C12N005/10 C07K014/44 C07K016/20 A61K039/002.
-
- ☐ 17. EP000953641A2. 09 Mar 99. 03 Nov 99. Polynucleotide molecules encoding neospora proteins. BRAKE, DAVID ALAN, et al. C12N015/30; C07K014/44 C07K016/20 C12N005/16 A61K039/002.
-
- ☐ 18. EP000898969A2. 12 Aug 98. 03 Mar 99. Neospora vaccine. BRAKE, DAVID ALAN, et al. A61K039/002;.
-
- ☐ 19. EP000841392A2. 14 Oct 97. 13 May 98. Attenuated live neospora vaccine. BRAKE, DAVID, et al. C12N001/10; A61K039/002 A61K039/00.
-
- ☐ 20. EP 1477184A. Vaccine useful for protecting a mammal against neosporosis, comprises a homogenate prepared from cells of Neospora which is capable of inducing a protective response against neosporosis in a mammal. BRAKE, D A, et al. A61K039/002.
-
- ☐ 21. WO2003038434A. Distinguishing an animal naturally seropositive for Neospora caninum from an animal vaccinated with a Neospora vaccine by contacting the serum with a Toxoplasma gondii protein and examining the serum for the presence of bound antibody. BRAKE, D A, et al. A61K000/00 C07K014/45 C12Q001/04 C12Q001/68 G01N000/00 G01N033/53 G01N033/543 G01N033/569.
-
- ☐ 22. EP 1221485A. Novel Neospora caninum GRA2 protein useful for producing vaccines against neosporosis and as diagnostic reagents. BRAKE, D A, et al. A61K039/002 C07K014/44 C07K016/20 C12N005/10 C12N015/30 C12N015/85.
-
- ☐ 23. EP 1221487A. Novel isolated polypeptide from Neospora caninum microneme-associated protein, useful for preparing a vaccine against neosporosis. BRAKE, D A, et al. A61K039/002 C07K014/44 C07K016/20 C12N005/10 C12N015/30 C12N015/85.
-
- ☐ 24. EP 1221486A. Novel Neospora caninum SAG1 protein useful for producing vaccines against neosporosis and as diagnostic reagents. BRAKE, D A, et al. A61K039/002 C07K014/44 C07K016/20 C12N005/10 C12N015/30 C12N015/85.
-
- ☐ 25. EP 953641A. Polypeptides encoding Neospora caninum proteins, useful for vaccines against neosporosis and as diagnostic reagents. BRAKE, D A, et al. A61K031/00 A61K031/70 A61K035/12 A61K038/00 A61K038/17 A61K039/002 A61K039/02 A61K039/39 A61K048/00 A61P033/02 C07H021/00 C07H021/02 C07H021/04 C07K014/195 C07K014/44 C07K016/18 C07K016/20 C12N000/00 C12N001/11 C12N001/20 C12N001/21 C12N005/16 C12N015/00 C12N015/02 C12N015/09 C12N015/30 C12N015/63 C12P021/02 C12P021/06 C12P021/08 C12Q001/68.
-
- ☐ 26. EP 898969A. New homogenate from Neospora cells - useful for inducing protective response against neosporosis as vaccine. BRAKE, D A, et al. A61K000/00 A61K035/68 A61K039/00 A61K039/002 A61K039/005 A61K039/008 A61K039/012 A61K039/015 A61K039/02 A61K039/395 A61P031/00 C07K014/44 C07K016/20 C12N001/10 C12N001/11 C12N015/30 G01N033/569 A61K039/002 A61K039/02 A61K039/002 A61K039/12 A61K039/002 A61K039/02 A61K039/002
-

A61K039:12 A61K039/002 A61K039:02 A61K039/002 A61K039:12.

☐ 27. NZ 329095A. Live attenuated Neospora vaccine - for protecting animals against neosporosis.
BLAGBURN, B, et al. A61K000/00 A61K035/68 A61K039/00 A61K039/002 A61K039/02
A61K039/38 A61K039/39 A61P033/02 C12N001/00 C12N001/10 C12N001/11 C12N001/13
C12N001/18 C12N001/36 C12N005/06 C12N015/30 C12N001/10 C12R001:90 C12N001/10
C12R001:90 C12N001/10 C12R001:90.

Generate Collection

Print

Terms	Documents
brake.in. and neospor\$	27

[Prev Page](#) [Next Page](#) [Go to Doc#](#)

1. 20050003433. 26 Jul 04. 06 Jan 05. Recombinant neospora antigens and their uses. Conrad, Patricia, et al. 435/6; 435/320.1 435/325 435/69.3 435/7.22 530/350 536/23.7 C12Q001/68 G01N033/53 G01N033/569 C07H021/04 C07K014/44.

☐ 2. 20020146436. 02 Apr 02. 10 Oct 02. Neospora vaccines. Choromanski, Leszek J., et al. 424/269.1; 435/258.1 A61K039/002 C12N001/10.

☐ 3. 6716423. 10 Jul 00; 06 Apr 04. Recombinant neospora antigens and their uses. Conrad; Patricia A., et al. 424/93.1; 424/184.1 424/234.1 424/93.7. A61K039/00 A61K039/38 A61K039/02 A01N063/00 A01N065/00.

20050003433. 26 Jul 04. 06 Jan 05. Recombinant neospora antigens and their uses. Conrad, Patricia, et al. 435/6; 435/320.1 435/325 435/69.3 435/7.22 530/350 536/23.7 C12Q001/68 G01N033/53 G01N033/569 C07H021/04 C07K014/44.

☐ 2. 20030044431. 11 Oct 02. 06 Mar 03. Over-expressing homologous antigen vaccine and a method of making the same. Schurig, Gerhardt, et al. 424/252.1; 424/200.1 A61K039/10.

☐ 3. 20020192304. 30 Apr 01. 19 Dec 02. Pharmaceutical composition and method for relieving itch, pain and swelling resulting from insect bites and stings. Kennedy, Patrick. 424/725; 424/489 424/501 424/771 A61K009/14 A61K009/50 A61K035/78.

☐ 4. 20020146436. 02 Apr 02. 10 Oct 02. Neospora vaccines. Choromanski, Leszek J., et al. 424/269.1; 435/258.1 A61K039/002 C12N001/10.

☐ 5. 20020041886. 23 Apr 01. 11 Apr 02. Equine protozoal myeloencephalitis vaccine. Bigbie, Rocky Barry, et al. 424/269.1; 435/258.1 514/44 A61K048/00 C12N001/10 A61K039/002.

☐ 6. 6716423. 10 Jul 00; 06 Apr 04. Recombinant neospora antigens and their uses. Conrad, Patricia A., et al. 424/93.1; 424/184.1 424/234.1 424/93.7. A61K039/00 A61K039/38 A61K039/02 A01N063/00 A01N065/00.

☐ 7. WO009920303A1. 13 Oct 98. 29 Apr 99. NEOSPORA VACCINES. CHOROMANSKI, LESZEK, et al. A61K039/002; C12N001/20.

☐ 8. US20030044431A. New overexpressing homologous antigen vaccines, useful for immunization, prophylaxis or treatment of a vertebrate at risk of or suffering from, e.g. brucellosis, paratuberculosis, tuberculosis or neosporosis. BOYLE, S M, et al. A61K039/10.

☐ 9. US20020041886A. Vaccine useful for preventing or ameliorating equine protozoal myeloencephalitis disease, comprises inactivated Sarcocystis neurona cells and/or Neospora hughesi cells, antigens, DNA derived from the cells or their mixtures. BIGBIE, R B, et al. A61K039/00 A61K039/02 A61K039/395 A61K048/00 A61P033/00 C07K016/20 C12N001/10.

☐ 10. EP 924295A. New dihydrofolate reductase-thymidylate synthase (DHFR-TS) protein and gene, useful in genetic constructs for preparing a live vaccine against Neospora. DURTSCHI, B A, et al. A45C011/00 A45C011/36 A61K031/00 A61K035/66 A61K039/00 A61K039/002 A61K039/012 C07H021/02 C07H021/04 C07K014/44 C07K016/20 C07K016/40 C12N000/00 C12N001/11 C12N001/19 C12N001/21 C12N001/36 C12N005/10 C12N009/00 C12N009/06 C12N015/09 C12N015/30 C12N015/52 C12N015/53 C12N015/54 C12N015/60 C12N015/73 C12N015/86 C12P019/34 C12P021/02 C12Q001/68 C12R001/90 G01N033/53 G01N033/531 G01N033/569 C12N001/21 C12R001:19 C12N005/10 C12R001:90.

☐ 11. US 5889166A. DNA encoding immuno:dominant antigen of bovine Neospora - used in vaccines and in diagnosis of infection. ANDERSON, M L, et al. A61K038/00 A61K039/00 A61K039/002 A61K039/02 A61K039/12 A61P033/02 C07H021/02 C07H021/04 C07K001/00 C07K014/44 C12N015/09 C12P019/34 C12P021/02 C12Q001/68 G01N033/53 G01N033/554 G01N033/567 G01N033/569 C12N015/09 C12R001:90.

Generate Collection

Print

Terms	Documents
L2 same (attenuat\$ or inactivat\$ or weak\$ or avirul\$ or modifi\$ or reduc\$).ti,ab,clm.	11

[Prev Page](#) [Next Page](#) [Go t](#)

Hit List

Clear

Generate Collection

Print

Fwd Refs

Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 6 of 6 returned.

☐ 1. Document ID: US 20040081666 A1

L6: Entry 1 of 6

File: PGPB

Apr 29, 2004

DOCUMENT-IDENTIFIER: US 20040081666 A1

TITLE: Cattle reproductive disease vaccines

Summary of Invention Paragraph:

[0009] Modified-live virus (MLV) vaccines, on the other hand, offer a higher level of protection. Currently, licensed BVDV MLV vaccines are produced using attenuated viruses obtained via repeated passage in bovine or porcine cells (Coggins et al., Cornell Vet. 51: 539-, 1961; Phillips et al., Am. J. Vet. Res. 36: 135-, 1975), or using chemically modified viruses which exhibit a temperature-sensitive phenotype (Lobmann et al., Am. J. Vet. Res. 45: 2498-, 1984; 47: 557-561, 1986). A single dose of MLV vaccine is sufficient for immunization, and duration of the immunity can last for years in vaccinated cattle. However, as these vaccines have been developed using type I BVDV virus strains, the protection is against type I virus only. Moreover, the available BVDV vaccines are not indicated for use in pregnant cattle or calves nursing pregnant cows.

Summary of Invention Paragraph:

[0022] The term "combination vaccine" is meant a bivalent or multivalent combination of antigens including modified live antigens and/or inactivated antigens. In accordance with the present invention a combination vaccine can comprise modified live infectious IBR, PI3, BRSV and inactivated BVDV Types 1 and 2, one or more antigens such as but not limited to *Leptospira canicola*, *Leptospira grippotyphosa*, *Leptospira borgpetersenii* hardio-prajitno, *Leptospira icterohaemorrhagiae*, *Leptospira interrogans pomona*, *Leptospira borgpetersenii* hardjo-bovis, *Leptospira bratislava*, *Campylobacter fetus*, *Neospora caninum*, *Trichomonus fetus*, *Mycoplasma bovis*, *Haemophilus somnus*, *Mannheimia haemolytica* and *Pasturella multocida*, a veterinary acceptable carrier and an adjuvant. In a preferred embodiment the modified live IBR component is temperature sensitive IBR. In another preferred embodiment the BVDV Type 2 component is cytopathic (cpBVD-2 strain 53637-ATCC No. PTA-4859) and the BVDV Type 1 component is cytopathic 5960 (cpBDV-1 strain 5960-National Animal Disease Center, United States Department of Agriculture, Ames, Iowa). The present invention also contemplates non-cytopathic BVDV Type 1 and Type 2 strains. In still another preferred embodiment, the modified live antigens are desiccated, lyophilized or vitrified.

CLAIMS:

18. A method of inducing an immune response against an antigen selected from the group consisting of *Leptospira canicola*, *Leptospira grippotyphosa*, *Leptospira borgpetersenii* hardio-prajitno, *Leptospira icterohaemorrhagiae*, *Leptospira interrogans pomona*, *Leptospira borgpetersenii* hardjo-bovis, *Leptospira bratislava*, *Neospora caninum*, *Trichomonus fetus*, *Mycoplasma bovis*, *Haemophilus somnus*, *Mannheimia haemolytica* and *Pasturella multocida* in an animal subject, comprising

administering an immunologically effective amount of the composition of claim 1 and a veterinary-acceptable carrier.

54. A method of treating or preventing a disease or disorder in an animal caused by infection with an antigen selected from the group consisting *Leptospira canicola*, *Leptospira grippotyphosa*, *Leptospira borgpetersenii* hardjo-prajitno, *Leptospira icterohaemorrhagiae*, *Leptospira interrogans pomona*, *Leptospira borgpetersenii* hardjo-bovis, *Leptospira Bratislava*, *Campylobacter fetus*, *Neospora caninum*, *Trichomonus fetus*, *Mycoplasma bovis*, *Haemophilus somnus*, *Mannheimia haemolytica* and *Pasturella multocida*, comprising administering to said animal a therapeutically effective amount of the vaccine composition of claim 20.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw Ds
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	---------

☐ 2. Document ID: US 20030185852 A1

L6: Entry 2 of 6

File: PGPB

Oct 2, 2003

DOCUMENT-IDENTIFIER: US 20030185852 A1

TITLE: Parasitic protozoan isolate

Abstract Paragraph:

The present invention relates to a novel *Neospora caninum* isolate from Nowra and extracts thereof. The strain is useful in the development of diagnostic assays for the detection of parasites in animals. The present invention also relates to pharmaceutical compositions, using live or killed organisms or extracts thereof, for the treatment and prevention of parasitic infections in animals.

Summary of Invention Paragraph:

[0012] The literature on live vaccines against *N. caninum* is limited. Atkinson et al. (1999) showed that infection of naive mice by the Nc-SweB1 isolate of *N. caninum* partially protected them against a severe infection by Nc-Liverpool. Lindsay et al. (1999) generated temperature sensitive mutants of *N. caninum* and demonstrated that they could prevent clinical signs associated with neosporosis in mice.

Detail Description Paragraph:

[0119] Lindsay D S, Lenz S D, Blagburn B L & Brake D A (1999) Characterization of temperature-sensitive strains of *Neospora caninum* in mice Journal of Parasitology 85, 64-67.

CLAIMS:

14. A method as claimed in any one of claims 10 to 13 wherein the infection or disease is caused by the presence of *Neospora* in the animal.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw Ds
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	---------

☐ 3. Document ID: US 20030091591 A1

L6: Entry 3 of 6

File: PGPB

May 15, 2003

DOCUMENT-IDENTIFIER: US 20030091591 A1

TITLE: Alphavirus expression vectors and uses thereof

Detail Description Paragraph:

[0066] Sindbis virus gene expression, which occurs in the cytoplasm of the cell, is quite efficient, rapid, and can be modulated. For example, Xiong et al., *ibid.*, reported the production of up to 1.times.10.sup.8 molecules of chloramphenicol acetyltransferase (CAT) per cell transfected with Sindbis virus expression vectors operatively linked to the CAT gene, when the cell was cultured for about 20 hr. Xiong et al. also reported that use of a replication temperature sensitive Sindbis virus vector led to modulated expression of CAT.

CLAIMS:

5. The vaccine of claim 1, wherein said disease is caused by an infectious agent selected from the group consisting of the genera Toxoplasma, Dirofilaria, Acanthocheilonema, Babesia, Brugia, Candida, Cryptococcus, Cryptosporidium, Dipetalonema, Eimeria, Encephalitozoon, Hepatozoon, Histoplasma, Isospora, Loa, Microsporidia, Neospora, Nosema, Onchocerca, Parafilaria, Plasmodium, Pneumocystis, Rochalimaea, Setaria, Stephanofilaria, Theileria and Wuchereria.

42. The recombinant molecule of claim 40, wherein said parasite is selected from the group consisting of Toxoplasma, Dirofilaria, Acanthocheilonema, Babesia, Brugia, Candida, Cryptococcus, Cryptosporidium, Dipetalonema, Eimeria, Encephalitozoon, Hepatozoon, Histoplasma, Isospora, Loa, Microsporidia, Neospora, Nosema, Onchocerca, Parafilaria, Plasmodium, Pneumocystis, Rochalimaea, Setaria, Stephanofilaria, Theileria and Wuchereria.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	RMK	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	--------

☐ 4. Document ID: US 20020102273 A1

L6: Entry 4 of 6

File: PGPB

Aug 1, 2002

DOCUMENT-IDENTIFIER: US 20020102273 A1

TITLE: USE OF ALPHAVIRUS EXPRESSION VECTORS TO PRODUCE PARASITE ANITGENS

Detail Description Paragraph:

[0067] Sindbis virus gene expression, which occurs in the cytoplasm of the cell, is quite efficient, rapid, and can be modulated. For example, Xiong et al., *ibid.*, reported the production of up to 1.times.10.sup.8 molecules of chloramphenicol acetyltransferase (CAT) per cell transfected with Sindbis virus expression vectors operatively linked to the CAT gene, when the cell was cultured for about 20 hr. Xiong et al. also reported that use of a replication temperature sensitive Sindbis virus vector led to modulated expression of CAT.

CLAIMS:

5. The vaccine of claim 1, wherein said disease is caused by an infectious agent selected from the group consisting of the genera *Toxoplasma*, *Dirofilaria*, *Acanthocheilonema*, *Babesia*, *Brugia*, *Candida*, *Cryptococcus*, *Cryptosporidium*, *Dipetalonema*, *Eimeria*, *Encephalitozoon*, *Hepatozoon*, *Histoplasma*, *Isospora*, *Loa*, *Microsporidia*, *Neospora*, *Nosema*, *Onchocerca*, *Parafilaria*, *Plasmodium*, *Pneumocystis*, *Rochalimaea*, *Setaria*, *Stephanofilaria*, *Theileria* and *Wuchereria*.

42. The recombinant molecule of claim 40, wherein said parasite is selected from the group consisting of *Toxoplasma*, *Dirofilaria*, *Acanthocheilonema*, *Babesia*, *Brugia*, *Candida*, *Cryptococcus*, *Cryptosporidium*, *Dipetalonema*, *Eimeria*, *Encephalitozoon*, *Hepatozoon*, *Histoplasma*, *Isospora*, *Loa*, *Microsporidia*, *Neospora*, *Nosema*, *Onchocerca*, *Parafilaria*, *Plasmodium*, *Pneumocystis*, *Rochalimaea*, *Setaria*, *Stephanofilaria*, *Theileria* and *Wuchereria*.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw. D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	---------

☐ 5. Document ID: US 6485904 B1

L6: Entry 5 of 6

File: USPT

Nov 26, 2002

DOCUMENT-IDENTIFIER: US 6485904 B1

TITLE: DNA encoding a plasminogen activating protein

Detailed Description Text (132):

Following amplification with either ER43 (SEQ ID NO:22) plus ER45 (SEQ ID NO:24), or ER44 (SEQ ID NO:23) plus ER45 (SEQ ID NO:24), the triplicate samples were separately pooled by combining 7 .mu.l of each reaction mixture to produce a final volume of 21 .mu.l. The synthetic DNA fragments were separated in 1% (w/v) agarose and the 1,001 bp (ER44/ER45) and 1,073 bp (ER43/ER45) products were purified (JetSorb.TM., GenoMed, Research Triangle Park, N.C.). Following digestion of the purified DNA with KpnI and XbaI, approximately 0.3 .mu.g of the fragments were ligated to 0.5 .mu.g of KpnI plus XbaI restricted, dephosphorylated pEA181 vector DNA. Recombinant plasmids were transformed into competent *E. coli* TAP56 cells (Pfizer in-house strain) by the method of Hanahan (1983, *J. Mol. Biol.* 166: 557). Cells were grown in 1 ml SOC medium (Gibco BRL) for 75 min at 30.degree. C. Transformants were grown and maintained at .ltoreq.30.degree. C. to prevent induction of the P.sub.L promoter resulting from inactivation of the temperature-sensitive cI857 repressor. Two strains isolated in this manner were retained for expression of recombinant PauA. Strain Pz330 harbors plasmid pER330, which expresses the full-length pauA gene resulting from amplification of chromosomal DNA with primers ER43/ER45. Strain Pz332 harbors plasmid pER332, which expresses the truncated (signal peptide-deleted) pauA gene resulting from amplification with primers ER44/ER45.

CLAIMS:

42. The combination vaccine of claim 41, wherein the host cell is selected from the group consisting of *Leptospira* spp., *Campylobacter* spp., *Staphylococcus* spp., *Streptococcus* spp., *Mycoplasma* spp., *Klebsiella* spp., *Salmonella* spp., *Pasteurella* spp., *Clostridium* spp., *E. coli*, and *Neospora* spp.

43. The combination vaccine of claim 40, wherein the antigen of the second component of the combination vaccine is capable of inducing a protective response in the mammal against a disease, condition, or pathogen selected from the group consisting of mastitis, bovine herpes virus, bovine respiratory syncytial virus, bovine viral diarrhea virus, parainfluenza virus type I, parainfluenza virus type II, parainfluenza virus type III, *Leptospira* spp., *Campylobacter* spp., *Staphylococcus* spp., *Streptococcus* spp., *Mycoplasma* spp., *Klebsiella* spp., *Salmonella* spp., rotavirus, coronavirus, rabies, *Pasteurella* spp., *Clostridium* spp., Tetanus toxoid, *E. coli*, and Neospora spp.

46. The combination vaccine of claim 45, wherein the host cell is selected from the group consisting of *Leptospira* spp., *Campylobacter* spp., *Staphylococcus* spp., *Streptococcus* spp., *Mycoplasma* spp., *Klebsiella* spp., *Salmonella* spp., *Pasteurella* spp., *Clostridium* spp., *E. coli*, and Neospora spp.

47. The combination vaccine of claim 44, wherein the antigen of the second component of the combination vaccine is capable of inducing a protective response in the mammal against a disease, condition, or pathogen selected from the group consisting of mastitis, bovine herpes virus, bovine respiratory syncytial virus, bovine viral diarrhea virus, parainfluenza virus type I, parainfluenza virus type II, parainfluenza virus type III, *Leptospira* spp., *Campylobacter* spp., *Staphylococcus* spp., *Streptococcus* spp., *Mycoplasma* spp., *Klebsiella* spp., *Salmonella* spp., rotavirus, coronavirus, rabies, *Pasteurella* spp., *Clostridium* spp., Tetanus toxoid, *E. coli*, and Neospora spp.

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw Dg
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	---------

☐ 6. Document ID: US 5766602 A

L6: Entry 6 of 6

File: USPT

Jun 16, 1998

DOCUMENT-IDENTIFIER: US 5766602 A

TITLE: Recombinant packaging defective Sindbis virus vaccines

Detailed Description Text (25):

Sindbis virus vectors are preferred because, unlike Semliki Forest virus and other alphaviruses, Sindbis virus is not associated with human disease. In addition, Sindbis virus has a wide host range. For example, Sindbis virus can infect a number of organisms including mammalian, avian, insect, amphibian, and reptilian cells. Sindbis virus has infected all cell types studied so far, including, but not limited to, Chinese hamster ovary cells, baby hamster kidney cells, quail (e.g., QT-6) cells, chicken embryo fibroblasts, human tumor cells, mosquito and *Drosophila* cells. Sindbis virus can also be transmitted to vertebrate hosts, such as birds or mammals, by mosquitos. Sindbis virus gene expression, which occurs in the cytoplasm of the cell, is quite efficient, rapid, and can be modulated. For example, Xiong et al., *ibid.*, reported the production of up to 1.times.10.sup.8 molecules of chloramphenicol acetyltransferase (CAT) per cell transfected with Sindbis virus expression vectors operatively linked to CAT gene in less than about 20 hr. The authors also reported that use of a replication temperature sensitive Sindbis virus vector led to modulated expression of CAT.

Other Reference Publication (40):

Rice et al., "Production of Infectious RNA Transcripts from Sindbis Virus cDNA

Clones: Mapping of Lethal Mutations, Rescue of a Temperature-Sensitive Marker, and in vitro Mutagenesis to Generate Defined Mutants", pp. 3809-3819, 1987, J. Virol., vol. 61, No. 12 (Dec.).

CLAIMS:

5. The method of claim 1, wherein said disease is caused by an infectious agent selected from the group consisting of the genera Toxoplasma, Dirofilaria, Cryptosporidium, Eimeria, Neospora, Isospora, Plasmoanum, Babesia, Theileria, Hepatozoon, Encephalitozoon, Nosema, Pneumocystis, Cryptococcus, Candida, and Histoplasma.

20. The method of claim 17, wherein said disease is caused by an infectious agent selected from the group consisting of the genera Toxoplasma, Dirofilaria, Cryptosporidium, Eimeria, Neospora, Isospora, Plasmodium, Babesia, Theileria, Hepatozoon, Encephalitozoon, Nosema, Pneumocystis, Cryptococcus, Candida, and Histoplasma.

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KMC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	-----	--------

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs	Generate OACS
-------	---------------------	-------	----------	-----------	---------------

Terms	Documents
L2 and (temperaturesensitiv\$ or temperature-sensitive or temperature-sensitivity or (temperature near3 sensitiv\$))	6

Display Format:

[Previous Page](#) [Next Page](#) [Go to Doc#](#)